

Line Check Sheet for Paragliders

Piece Check

Glider Type: XG57 Trango XC 3 L (LTF/EN C)	Serial No.:
Rev. No.: 4	Date: 12.03.2015

Line lengths [mm]

R. No.	Area														
	A				B				C						
	Left		Right		Left		Right		Left		Right				
	-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm
	Nom.					Nom.					Nom.				
3	7518					7418					7533				
5	7430					7330					7442				
8	7387					7287					7397				
10	7425					7329					7438				
14	7292					7200					7307				
16	7208					7122					7227				
19	7142					7065					7162				
21	7172					7103					7205				
24	6965					6935					7009				
26	6866					6849					6918				
28	6792					6792					6852				
29	6793					6794					6854				
32	6573					6567					6615				
33	6523														
34	6525										6585				

Total line length in cm from riser quick link to canopy including line loops, following DHV measuring method. Line load is 5 daN.

Rib numbering starts in the center of the wing. Wing sides in flight direction, seen from top.

Measurements are rounded to the next 0,5 cm. Please mark measurements relative to nominal by crossing X

R. No.	Area												rib no. brakes	Loops on Quick links			
	D				Brake				Factory setting		Loop Index	MTS					
	Left		Right		Left		Right		Left		Right						
	-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm		
	Nom.					Nom.					Nom.						
3						8009										3-4	0
5						7737										6-7	0
8						7601										9-10	0
10						7627										12-13	0
14						7443										16-17	0
16						7310										18-19	0
19						7200										21-22	0
21						7245										23-24	1
24						7110										26-27	1
26						7080										28-29	1
28						7122										31	1
29						7302										33-34	1
32																	
33																	
34																	

brakes measured inkl. 10cm-loop

Single Line Lengths

Glider Type: XG57 Trango XC 3 L (LTF/EN C)
Rev. No.: 4

Serial No.:
Date: 12.03.2015

Line no.	Quantity	Length [mm]	material	colour
a1	2	862	8000U-090	Red
a2	2	774	8000U-070	Red
a3	2	783	8000U-070	Red
a4	2	821	8000U-090	Red
a5	2	740	8000U-090	Red
a6	2	656	8000U-070	Red
a7	2	642	8000U-070	Red
a8	2	672	8000U-090	Red
a9	2	569	8000U-070	Red
a10	2	470	8000U-070	Red
a11	2	240	8000U-050	Red
a12	2	241	8000U-050	Red
a13	2	548	8000U-050	Red
a14	2	498	8000U-050	Red
a15	2	500	8000U-050	Red
b1	2	762	8000U-090	Red
b2	2	674	8000U-070	Red
b3	2	683	8000U-070	Red
b4	2	725	8000U-090	Red
b5	2	648	8000U-090	Red
b6	2	570	8000U-070	Red
b7	2	565	8000U-070	Red
b8	2	603	8000U-090	Red
b9	2	539	8000U-070	Red
b10	2	453	8000U-070	Red
b11	2	240	8000U-050	Red
b12	2	242	8000U-050	Red
b13	2	542	8000U-050	Red
c1	2	677	8000U-090	Red
c2	2	586	8000U-070	Red
c3	2	593	8000U-070	Red
c4	2	634	8000U-090	Red
c5	2	555	8000U-090	Red
c6	2	475	8000U-070	Red
c7	2	462	8000U-070	Red
c8	2	505	8000U-090	Red
c9	2	464	8000U-070	Red
c10	2	373	8000U-070	Red
c11	2	224	8000U-050	Red
c12	2	226	8000U-050	Red
c13	2	590	8000U-050	Red
c14	2	560	8000U-050	Red

Line no.	Quantity	Length [mm]	material	colour
A1	2	1664	8000U-130	Red
A2	2	1612	8000U-130	Red
A3	2	1560	8000U-130	Red
A4	2	1508	8000U-130	Red
A5	2	884	8000U-130	Red
A6	2	1040	8000U-070	Red
B1	2	1664	8000U-130	Red
B2	2	1612	8000U-130	Red
B3	2	1560	8000U-130	Red
B4	2	1508	8000U-130	Red
B5	2	884	8000U-130	Red
B6	2	1040	8000U-070	Red
C1	2	1664	8000U-130	Red
C2	2	1612	8000U-130	Red
C3	2	1560	8000U-130	Red
C4	2	1508	8000U-130	Red
C5	2	832	8000U-130	Red
C6	2	915	8000U-070	Red
Amain	2	4992	DC 200	Red
Amain2	2	4992	DC 200	Red
Amain3	2	5512	8000U-130	Red
Bmain	2	4992	DC 200	Red
Bmain2	2	4992	DC 200	Red
Bmain3	2	5512	8000U-130	Red
Cmain	2	5200	8000U-230	Red
Cmain2	2	5200	8000U-230	Red
Cmain3	2	5720	8000U-130	Red
ST1	2	676	8000U-070	Red
ST2	2	676	8000U-070	Red
STI	2	5356	8000U-090	Yellow

Brake no.	Quantity	Length [mm]	material	colour
br1	2	1019	8000U-050	Red
br2	2	747	8000U-050	Red
br3	2	819	8000U-050	Red
br4	2	845	8000U-050	Red
br5	2	609	8000U-050	Red
br6	2	476	8000U-050	Red
br7	2	469	8000U-050	Red
br8	2	515	8000U-050	Red
br9	2	473	8000U-050	Red
br10	2	444	8000U-050	Red
br11	2	257	8000U-050	Red
br12	2	436	8000U-050	Red
BR1	2	1612	8000U-070	Red
BR2	2	1404	8000U-070	Red
BR3	2	1144	8000U-050	Red
BR4	2	1040	8000U-050	Red
BR5	2	686	8000U-050	Red
BR6	2	915	8000U-050	Red
BRI	2	4108	8000U-090	Grey
BRII	2	1924	8000U-070	Red
BRIII	2	2184	8000U-070	Red
BRMII	2	2496	8000U-090	Grey
Brmain	2	1270	989/1,5	Pink

Line material:

Liros DC 200
Edelrid 8000U-050
Edelrid 8000U-070
Edelrid 8000U-090
Edelrid 8000U-130
Edelrid 8000U-230
Cousin 989/1,5

total length	no. of lines
255050	190

Line Check Sheet for Paragliders

Piece Check

Glider Type: XG57 Trango XC 3 M (LTF/EN C)	Serial No.:
Rev. No.: 4	Date: 12.03.2015

Line lengths [mm]

R. No.	Area														
	A				B				C						
	Left		Right		Left		Right		Left		Right				
	-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm
	Nom.					Nom.					Nom.				
3	7228					7130					7242				
5	7143					7045					7154				
8	7101					7004					7109				
10	7137					7043					7149				
14	7007					6917					7020				
16	6926					6842					6943				
19	6862					6787					6880				
21	6890					6823					6921				
24	6690					6661					6731				
26	6594					6578					6644				
28	6523					6523					6580				
29	6523					6525					6582				
32	6310					6305					6350				
33	6262														
34	6264										6322				

Total line length in cm from riser quick link to canopy including line loops, following DHV measuring method. Line load is 5 daN.

Rib numbering starts in the center of the wing. Wing sides in flight direction, seen from top.

Measurements are rounded to the next 0,5 cm. Please mark measurements relative to nominal by crossing X

R. No.	Area												Brake	rib no. brakes	
	D														
	Left		Right		Left		Right		Left		Right				
	-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm
	Nom.					Nom.					Nom.				
3						7699									3-4
5						7436									6-7
8						7304									9-10
10						7327									12-13
14						7148									16-17
16						7019									18-19
19						6912									21-22
21						6955									23-24
24						6824									26-27
26						6795									28-29
28						6835									31
29						7010									33-34
32															
33															
34															

brakes measured inkl. 10cm-loop

Loops on Quick links		Loop Index	MTS
Factory setting			
A1	--	0	0
A2	--	0	0
A3	--	0	0
B1	--	0	0
B2	--	0	0
B3	--	0	0
C1	Round turn	1	1
C2	Round turn	1	1
C3	Round turn	1	1
STI	Round turn	1	1

Single Line Lengths

Glider Type: XG57 Trango XC 3 M (LTF/EN C)
Rev. No.: 4

Serial No.:
Date: 12.03.2015

Line no.	Quantity	Length [mm]	material	colour
a1	2	828	8000U-090	Red
a2	2	743	8000U-070	Red
a3	2	751	8000U-070	Red
a4	2	787	8000U-090	Red
a5	2	707	8000U-090	Red
a6	2	626	8000U-070	Red
a7	2	612	8000U-070	Red
a8	2	640	8000U-090	Red
a9	2	540	8000U-070	Red
a10	2	444	8000U-070	Red
a11	2	223	8000U-050	Red
a12	2	223	8000U-050	Red
a13	2	517	8000U-050	Red
a14	2	469	8000U-050	Red
a15	2	471	8000U-050	Red
b1	2	730	8000U-090	Red
b2	2	645	8000U-070	Red
b3	2	654	8000U-070	Red
b4	2	693	8000U-090	Red
b5	2	617	8000U-090	Red
b6	2	542	8000U-070	Red
b7	2	537	8000U-070	Red
b8	2	573	8000U-090	Red
b9	2	511	8000U-070	Red
b10	2	428	8000U-070	Red
b11	2	223	8000U-050	Red
b12	2	225	8000U-050	Red
b13	2	512	8000U-050	Red
c1	2	650	8000U-090	Red
c2	2	562	8000U-070	Red
c3	2	567	8000U-070	Red
c4	2	607	8000U-090	Red
c5	2	528	8000U-090	Red
c6	2	451	8000U-070	Red
c7	2	438	8000U-070	Red
c8	2	479	8000U-090	Red
c9	2	438	8000U-070	Red
c10	2	351	8000U-070	Red
c11	2	207	8000U-050	Red
c12	2	209	8000U-050	Red
c13	2	557	8000U-050	Red
c14	2	529	8000U-050	Red

Line no.	Quantity	Length [mm]	material	colour
A1	2	1600	8000U-130	Red
A2	2	1550	8000U-130	Red
A3	2	1500	8000U-130	Red
A4	2	1450	8000U-130	Red
A5	2	850	8000U-130	Red
A6	2	1000	8000U-070	Red
B1	2	1600	8000U-130	Red
B2	2	1550	8000U-130	Red
B3	2	1500	8000U-130	Red
B4	2	1450	8000U-130	Red
B5	2	850	8000U-130	Red
B6	2	1000	8000U-070	Red
C1	2	1600	8000U-130	Red
C2	2	1550	8000U-130	Red
C3	2	1500	8000U-130	Red
C4	2	1450	8000U-130	Red
C5	2	800	8000U-130	Red
C6	2	880	8000U-070	Red
Amain	2	4800	DC 200	Red
Amain2	2	4800	DC 200	Red
Amain3	2	5300	8000U-130	Red
Bmain	2	4800	DC 200	Red
Bmain2	2	4800	DC 200	Red
Bmain3	2	5300	8000U-130	Red
Cmain	2	5000	8000U-230	Red
Cmain2	2	5000	8000U-230	Red
Cmain3	2	5500	8000U-130	Red
ST1	2	650	8000U-070	Red
ST2	2	650	8000U-070	Red
STI	2	5150	8000U-090	Yellow

Brake no.	Quantity	Length [mm]	material	colour
br1	2	979	8000U-050	Red
br2	2	716	8000U-050	Red
br3	2	784	8000U-050	Red
br4	2	807	8000U-050	Red
br5	2	578	8000U-050	Red
br6	2	449	8000U-050	Red
br7	2	442	8000U-050	Red
br8	2	485	8000U-050	Red
br9	2	444	8000U-050	Red
br10	2	415	8000U-050	Red
br11	2	235	8000U-050	Red
br12	2	410	8000U-050	Red
BR1	2	1550	8000U-070	Red
BR2	2	1350	8000U-070	Red
BR3	2	1100	8000U-050	Red
BR4	2	1000	8000U-050	Red
BR5	2	660	8000U-050	Red
BR6	2	880	8000U-050	Red
BRI	2	3950	8000U-090	Grey
BRII	2	1850	8000U-070	Red
BRIII	2	2100	8000U-070	Red
BRMII	2	2400	8000U-090	Grey
Brmain	2	1220	989/1,5	Pink

Line material:

Liros DC 200
Edelrid 8000U-050
Edelrid 8000U-070
Edelrid 8000U-090
Edelrid 8000U-130
Edelrid 8000U-230
Cousin 989/1,5

total length	no. of lines
244556	190

Line Check Sheet for Paragliders

Piece Check

Glider Type: XG57 Trango XC 3 SM (LTF/EN C)	Serial No.:
Rev. No.: 4	Date: 14.06.2016

Line lengths [mm]

R. No.	Area A										Area B										Area C													
	Nom.	Left			Right				Nom.	Left			Right				Nom.	Left			Right													
		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm	
3	6947											6855												6964										
5	6865											6773												6878										
8	6824											6732												6835										
10	6858											6769												6872										
14	6732											6644												6747										
16	6653											6569												6672										
19	6590											6515												6612										
21	6617											6551												6653										
24	6431											6404												6475										
26	6339											6324												6395										
28	6269											6270												6332										
29	6269											6272												6338										
32	6064											6059												6102										
33	6018																																	
34	6020																							6074										

Total line length in cm from riser quick link to canopy including line loops, following DHV measuring method. Line load is 5 daN.

Rib numbering starts in the center of the wing. Wing sides in flight direction, seen from top.

Measurements are rounded to the next 0,5 cm. Please mark measurements relative to nominal by crossing X

R. No.	Area D										Brake										rib no. brakes			
	Nom.	Left			Right				Nom.	Left			Right											
		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm		
3												7389												3-4
5												7134												6-7
8												7006												9-10
10												7027												12-13
14												6853												16-17
16												6729												18-19
19												6624												21-22
21												6666												23-24
24												6538												26-27
26												6511												28-29
28												6549												31
29												6718												33-34
32																								
33																								
34																								

brakes measured inkl. 10cm-loop

Loops on Quick link		Loop Index MTS
Factory setting		
A1	--	0
A2	--	0
A3	--	0
B1	--	0
B2	--	0
B3	--	0
C1	Round turn	1
C2	Round turn	1
C3	Round turn	1
STI	Round turn	1

Single Line Lengths

Glider Type: XG57 Trango XC 3 SM (LTF/EN C)
Rev. No.: 4

Serial No.:
Date: 14.06.2016

Line no.	Quantity	Length [mm]	material	colour
a1	2	803	8000U-090	Red
a2	2	721	8000U-070	Red
a3	2	728	8000U-070	Red
a4	2	762	8000U-090	Red
a5	2	684	8000U-090	Red
a6	2	605	8000U-070	Red
a7	2	590	8000U-070	Red
a8	2	617	8000U-090	Red
a9	2	527	8000U-070	Red
a10	2	435	8000U-070	Red
a11	2	221	8000U-050	Red
a12	2	221	8000U-050	Red
a13	2	503	8000U-050	Red
a14	2	457	8000U-050	Red
a15	2	459	8000U-050	Red
b1	2	711	8000U-090	Red
b2	2	629	8000U-070	Red
b3	2	636	8000U-070	Red
b4	2	673	8000U-090	Red
b5	2	596	8000U-090	Red
b6	2	521	8000U-070	Red
b7	2	515	8000U-070	Red
b8	2	551	8000U-090	Red
b9	2	500	8000U-070	Red
b10	2	420	8000U-070	Red
b11	2	222	8000U-050	Red
b12	2	224	8000U-050	Red
b13	2	498	8000U-050	Red
c1	2	636	8000U-090	Red
c2	2	550	8000U-070	Red
c3	2	555	8000U-070	Red
c4	2	592	8000U-090	Red
c5	2	515	8000U-090	Red
c6	2	440	8000U-070	Red
c7	2	428	8000U-070	Red
c8	2	469	8000U-090	Red
c9	2	434	8000U-070	Red
c10	2	354	8000U-070	Red
c11	2	214	8000U-050	Red
c12	2	220	8000U-050	Red
c13	2	541	8000U-050	Red
c14	2	513	8000U-050	Red

Line no.	Quantity	Length [mm]	material	colour
A1	2	1536	8000U-130	Red
A2	2	1488	8000U-130	Red
A3	2	1440	8000U-130	Red
A4	2	1392	8000U-130	Red
A5	2	816	8000U-130	Red
A6	2	960	8000U-070	Red
B1	2	1536	8000U-130	Red
B2	2	1488	8000U-130	Red
B3	2	1440	8000U-130	Red
B4	2	1392	8000U-130	Red
B5	2	816	8000U-130	Red
B6	2	960	8000U-070	Red
C1	2	1536	8000U-130	Red
C2	2	1488	8000U-130	Red
C3	2	1440	8000U-130	Red
C4	2	1392	8000U-130	Red
C5	2	768	8000U-130	Red
C6	2	845	8000U-070	Red
Amain	2	4608	DC 200	Red
Amain2	2	4608	DC 200	Red
Amain3	2	5088	8000U-130	Red
Bmain	2	4608	DC 200	Red
Bmain2	2	4608	DC 200	Red
Bmain3	2	5088	8000U-130	Red
Cmain	2	4800	8000U-230	Red
Cmain2	2	4800	8000U-230	Red
Cmain3	2	5280	8000U-130	Red
ST1	2	624	8000U-070	Red
ST2	2	624	8000U-070	Red
STI	2	4944	8000U-090	Yellow

Brake no.	Quantity	Length [mm]	material	colour
br1	2	939	8000U-050	Red
br2	2	684	8000U-050	Red
br3	2	748	8000U-050	Red
br4	2	769	8000U-050	Red
br5	2	547	8000U-050	Red
br6	2	423	8000U-050	Red
br7	2	414	8000U-050	Red
br8	2	456	8000U-050	Red
br9	2	415	8000U-050	Red
br10	2	387	8000U-050	Red
br11	2	215	8000U-050	Red
br12	2	384	8000U-050	Red
BR1	2	1488	8000U-070	Red
BR2	2	1296	8000U-070	Red
BR3	2	1056	8000U-050	Red
BR4	2	960	8000U-050	Red
BR5	2	634	8000U-050	Red
BR6	2	845	8000U-050	Red
BR1	2	3792	8000U-090	Grey
BR11	2	1776	8000U-070	Red
BR111	2	2016	8000U-070	Red
BR111	2	2304	8000U-090	Grey
Brmain	2	1170	989/1,5	Pink

Line material:

Liros DC 200
Edelrid 8000U-050
Edelrid 8000U-070
Edelrid 8000U-090
Edelrid 8000U-130
Edelrid 8000U-230
Cousin 989/1,5

total length	no. of lines
235242	190

Line Check Sheet for Paragliders

Piece Check

Glider Type: XG57 Trango XC 3 S (LTF/EN C)	Serial No.:
Rev. No.: 3	Date: 14.06.2016

Line lengths [mm]

R. No.	Area A										Area B										Area C												
	Nom.	Left			Right				Nom.	Left			Right				Nom.	Left			Right												
		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm
3	6715											6625											6735										
5	6634											6544											6652										
8	6593											6504											6609										
10	6626											6540											6644										
14	6502											6424											6521										
16	6426											6353											6449										
19	6365											6300											6388										
21	6392											6334											6427										
24	6210											6183											6247										
26	6121											6107											6168										
28	6053											6055											6107										
29	6054											6057											6112										
32	5853											5847											5888										
33	5808																																
34	5811																						5863										

Total line length in cm from riser quick link to canopy including line loops, following DHV measuring method. Line load is 5 daN.

Rib numbering starts in the center of the wing. Wing sides in flight direction, seen from top.

Measurements are rounded to the next 0,5 cm. Please mark measurements relative to nominal by crossing X

R. No.	Area D										Brake										rib no. brakes		
	Nom.	Left			Right				Nom.	Left			Right										
		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm	
3												7154											3-4
5												6907											6-7
8												6781											9-10
10												6801											12-13
14												6631											16-17
16												6509											18-19
19												6407											21-22
21												6448											23-24
24												6323											26-27
26												6296											28-29
28												6333											31
29												6498											33-34
32																							
33																							
34																							

brakes measured inkl. 10cm-loop

Loops on Quick link		Loop Index MTS
Factory setting		
A1	--	0
A2	--	0
A3	--	0
B1	--	0
B2	--	0
B3	--	0
C1	Round turn	1
C2	Round turn	1
C3	Round turn	1
STI	Round turn	1

Single Line Lengths

Glider Type: XG57 Trango XC 3 S (LTF/EN C)
Rev. No.: 3

Serial No.:
Date: 14.06.2016

Line no.	Quantity	Length [mm]	material	colour
a1	2	764	8000U-090	Red
a2	2	683	8000U-070	Red
a3	2	689	8000U-070	Red
a4	2	722	8000U-090	Red
a5	2	645	8000U-090	Red
a6	2	568	8000U-070	Red
a7	2	553	8000U-070	Red
a8	2	580	8000U-090	Red
a9	2	492	8000U-070	Red
a10	2	403	8000U-070	Red
a11	2	196	8000U-050	Red
a12	2	196	8000U-050	Red
a13	2	467	8000U-050	Red
a14	2	422	8000U-050	Red
a15	2	426	8000U-050	Red
b1	2	669	8000U-090	Red
b2	2	589	8000U-070	Red
b3	2	595	8000U-070	Red
b4	2	630	8000U-090	Red
b5	2	561	8000U-090	Red
b6	2	490	8000U-070	Red
b7	2	484	8000U-070	Red
b8	2	518	8000U-090	Red
b9	2	465	8000U-070	Red
b10	2	388	8000U-070	Red
b11	2	197	8000U-050	Red
b12	2	200	8000U-050	Red
b13	2	461	8000U-050	Red
c1	2	599	8000U-090	Red
c2	2	515	8000U-070	Red
c3	2	518	8000U-070	Red
c4	2	554	8000U-090	Red
c5	2	486	8000U-090	Red
c6	2	413	8000U-070	Red
c7	2	399	8000U-070	Red
c8	2	438	8000U-090	Red
c9	2	397	8000U-070	Red
c10	2	317	8000U-070	Red
c11	2	181	8000U-050	Red
c12	2	187	8000U-050	Red
c13	2	502	8000U-050	Red
c14	2	477	8000U-050	Red

Line no.	Quantity	Length [mm]	material	colour
A1	2	1488	8000U-130	Red
A2	2	1441	8000U-130	Red
A3	2	1395	8000U-130	Red
A4	2	1348	8000U-130	Red
A5	2	790	8000U-130	Red
A6	2	930	8000U-070	Red
B1	2	1488	8000U-130	Red
B2	2	1441	8000U-130	Red
B3	2	1395	8000U-130	Red
B4	2	1348	8000U-130	Red
B5	2	790	8000U-130	Red
B6	2	930	8000U-070	Red
C1	2	1488	8000U-130	Red
C2	2	1441	8000U-130	Red
C3	2	1395	8000U-130	Red
C4	2	1348	8000U-130	Red
C5	2	744	8000U-130	Red
C6	2	818	8000U-070	Red
Amain	2	4463	DC 200	Red
Amain2	2	4463	DC 200	Red
Amain3	2	4928	8000U-130	Red
Bmain	2	4463	DC 200	Red
Bmain2	2	4463	DC 200	Red
Bmain3	2	4928	8000U-130	Red
Cmain	2	4649	8000U-230	Red
Cmain2	2	4649	8000U-230	Red
Cmain3	2	5114	8000U-130	Red
ST1	2	604	8000U-070	Red
ST2	2	604	8000U-070	Red
STI	2	4788	8000U-090	Yellow

Brake no.	Quantity	Length [mm]	material	colour
br1	2	908	8000U-050	Red
br2	2	661	8000U-050	Red
br3	2	721	8000U-050	Red
br4	2	741	8000U-050	Red
br5	2	524	8000U-050	Red
br6	2	403	8000U-050	Red
br7	2	394	8000U-050	Red
br8	2	434	8000U-050	Red
br9	2	393	8000U-050	Red
br10	2	366	8000U-050	Red
br11	2	199	8000U-050	Red
br12	2	364	8000U-050	Red
BR1	2	1441	8000U-070	Red
BR2	2	1255	8000U-070	Red
BR3	2	1023	8000U-050	Red
BR4	2	930	8000U-050	Red
BR5	2	614	8000U-050	Red
BR6	2	818	8000U-050	Red
BR1	2	3673	8000U-090	Grey
BR11	2	1720	8000U-070	Red
BR111	2	1953	8000U-070	Red
BR111	2	2232	8000U-090	Grey
Brmain	2	1132	989/1,5	Pink

Line material:

Liros DC 200
Edelrid 8000U-050
Edelrid 8000U-070
Edelrid 8000U-090
Edelrid 8000U-130
Edelrid 8000U-230
Cousin 989/1,5

total length	no. of lines
226138	190