

Line Check Sheet for Paragliders

Piece Check

| | |
|--------------------------------|------------------|
| Glider Type: XD90 Guru L (CCC) | Serial No.: |
| Rev. No.: 3 | Date: 23.05.2019 |

Line lengths [mm]

| No. | Area | | | | | | | | | | | | | | | | |
|-----|--------|--------|------|--------|--------|------|--------|--------|-------|--------|--------|------|--------|--------|------|--------|--------|
| | A | | | | | B | | | | | C | | | | | | |
| | Nom. | Left | | Right | | Nom. | Left | | Right | | Nom. | Left | | Right | | | |
| | -20 mm | -10 mm | 0 mm | +10 mm | +20 mm | | -20 mm | -10 mm | 0 mm | +10 mm | +20 mm | | -20 mm | -10 mm | 0 mm | +10 mm | +20 mm |
| 1 | 7942 | | | | | 7907 | | | | | | 7884 | | | | | |
| 2 | 7809 | | | | | 7771 | | | | | | 7775 | | | | | |
| 3 | 7764 | | | | | 7728 | | | | | | 7758 | | | | | |
| 4 | 7812 | | | | | 7779 | | | | | | 7720 | | | | | |
| 5 | 7695 | | | | | 7669 | | | | | | 7723 | | | | | |
| 6 | 7548 | | | | | 7523 | | | | | | 7785 | | | | | |
| 7 | 7477 | | | | | 7455 | | | | | | 7671 | | | | | |
| 8 | 7519 | | | | | 7505 | | | | | | 7532 | | | | | |
| 9 | 7277 | | | | | 7256 | | | | | | 7514 | | | | | |
| 10 | 7215 | | | | | | | | | | | 7445 | | | | | |
| 11 | 7115 | | | | | | | | | | | 7440 | | | | | |
| 12 | 7105 | | | | | | | | | | | 7495 | | | | | |
| 13 | 7041 | | | | | | | | | | | 7286 | | | | | |
| 14 | 7037 | | | | | | | | | | | 7247 | | | | | |
| 15 | 6910 | | | | | | | | | | | 7153 | | | | | |
| 16 | 6901 | | | | | | | | | | | 7146 | | | | | |
| 17 | 6899 | | | | | | | | | | | 7086 | | | | | |
| 18 | | | | | | | | | | | | 7082 | | | | | |
| 19 | | | | | | | | | | | | 6924 | | | | | |
| 20 | | | | | | | | | | | | 6910 | | | | | |
| 21 | | | | | | | | | | | | 6928 | | | | | |
| 22 | | | | | | | | | | | | | | | | | |

Total line length in cm from riser quick link to canopy including line loops, following DHV measuring method. Line load is 5 daN.

Rib numbering starts in the center of the wing. Wing sides in flight direction, seen from top.

Measurements are rounded to the next 0,5 cm. Please mark measurements relative to nominal by crossing X

| No. | Area | | | | | | | | | | | | | | | rib no. brakes | |
|-----|--------|--------|------|--------|--------|-------|--------|--------|-------|--------|----------------|----|--------|--------|------|----------------|--------|
| | D | | | | | Brake | | | | | rib no. brakes | | | | | | |
| | Nom. | Left | | Right | | Nom. | Left | | Right | | | | | | | | |
| | -20 mm | -10 mm | 0 mm | +10 mm | +20 mm | | -20 mm | -10 mm | 0 mm | +10 mm | +20 mm | | -20 mm | -10 mm | 0 mm | +10 mm | +20 mm |
| 1 | 7956 | | | | | 8620 | | | | | | 5 | | | | | |
| 2 | 7852 | | | | | 8379 | | | | | | 8 | | | | | |
| 3 | 7836 | | | | | 8242 | | | | | | 11 | | | | | |
| 4 | 7803 | | | | | 8227 | | | | | | 14 | | | | | |
| 5 | 7804 | | | | | 8227 | | | | | | 18 | | | | | |
| 6 | 7858 | | | | | 7984 | | | | | | 21 | | | | | |
| 7 | 7748 | | | | | 7908 | | | | | | 24 | | | | | |
| 8 | 7612 | | | | | 7981 | | | | | | 28 | | | | | |
| 9 | 7593 | | | | | 7774 | | | | | | 32 | | | | | |
| 10 | 7523 | | | | | 7707 | | | | | | 35 | | | | | |
| 11 | 7515 | | | | | 7753 | | | | | | 39 | | | | | |
| 12 | 7546 | | | | | 7814 | | | | | | 42 | | | | | |
| 13 | | | | | | 8043 | | | | | | 46 | | | | | |
| 14 | | | | | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | | | | | |

brakes measured inkl.10cm-loop

| Loops on Quick link | | Loop Index | MT |
|---------------------|----|------------|----|
| Factory setting | | | |
| A1 | -- | 0 | |
| A2 | -- | 0 | |
| A3 | -- | 0 | |
| B1 | -- | 0 | |
| B2 | -- | 0 | |
| B3 | -- | 0 | |
| C1 | -- | 0 | |
| C2 | -- | 0 | |
| C3 | -- | 0 | |
| STI | -- | 0 | |

Line Check Sheet for Paragliders

Piece Check

| | |
|--------------------------------|------------------|
| Glider Type: XD90 Guru M (CCC) | Serial No.: |
| Rev. No.: 3 | Date: 23.05.2019 |

Line lengths [mm]

| No. | Area | | | | | | | | | | | | | | | | |
|-----|--------|--------|------|--------|--------|------|--------|--------|-------|--------|--------|------|--------|--------|------|--------|--------|
| | A | | | | | B | | | | | C | | | | | | |
| | Nom. | Left | | Right | | Nom. | Left | | Right | | Nom. | Left | | Right | | | |
| | -20 mm | -10 mm | 0 mm | +10 mm | +20 mm | | -20 mm | -10 mm | 0 mm | +10 mm | +20 mm | | -20 mm | -10 mm | 0 mm | +10 mm | +20 mm |
| 1 | 7698 | | | | | 7663 | | | | | | 7639 | | | | | |
| 2 | 7567 | | | | | 7530 | | | | | | 7531 | | | | | |
| 3 | 7522 | | | | | 7487 | | | | | | 7515 | | | | | |
| 4 | 7569 | | | | | 7537 | | | | | | 7479 | | | | | |
| 5 | 7453 | | | | | 7427 | | | | | | 7481 | | | | | |
| 6 | 7308 | | | | | 7284 | | | | | | 7540 | | | | | |
| 7 | 7239 | | | | | 7217 | | | | | | 7429 | | | | | |
| 8 | 7282 | | | | | 7269 | | | | | | 7292 | | | | | |
| 9 | 7045 | | | | | 7025 | | | | | | 7276 | | | | | |
| 10 | 6985 | | | | | | | | | | | 7209 | | | | | |
| 11 | 6888 | | | | | | | | | | | 7203 | | | | | |
| 12 | 6879 | | | | | | | | | | | 7260 | | | | | |
| 13 | 6817 | | | | | | | | | | | 7056 | | | | | |
| 14 | 6815 | | | | | | | | | | | 7017 | | | | | |
| 15 | 6687 | | | | | | | | | | | 6927 | | | | | |
| 16 | 6681 | | | | | | | | | | | 6920 | | | | | |
| 17 | 6678 | | | | | | | | | | | 6862 | | | | | |
| 18 | | | | | | | | | | | | 6858 | | | | | |
| 19 | | | | | | | | | | | | 6702 | | | | | |
| 20 | | | | | | | | | | | | 6689 | | | | | |
| 21 | | | | | | | | | | | | 6707 | | | | | |
| 22 | | | | | | | | | | | | | | | | | |

Total line length in cm from riser quick link to canopy including line loops, following DHV measuring method. Line load is 5 daN.

Rib numbering starts in the center of the wing. Wing sides in flight direction, seen from top.

Measurements are rounded to the next 0,5 cm. Please mark measurements relative to nominal by crossing X

| No. | Area | | | | | | | | | | rib no. brakes | |
|-----|--------|--------|------|--------|--------|-------|--------|--------|-------|--------|----------------|----|
| | D | | | | | Brake | | | | | | |
| | Nom. | Left | | Right | | Nom. | Left | | Right | | | |
| | -20 mm | -10 mm | 0 mm | +10 mm | +20 mm | | -20 mm | -10 mm | 0 mm | +10 mm | +20 mm | |
| 1 | 7709 | | | | | 8620 | | | | | | 5 |
| 2 | 7607 | | | | | 8379 | | | | | | 8 |
| 3 | 7591 | | | | | 8242 | | | | | | 11 |
| 4 | 7558 | | | | | 8227 | | | | | | 14 |
| 5 | 7559 | | | | | 8227 | | | | | | 18 |
| 6 | 7612 | | | | | 7984 | | | | | | 21 |
| 7 | 7503 | | | | | 7908 | | | | | | 24 |
| 8 | 7371 | | | | | 7981 | | | | | | 28 |
| 9 | 7353 | | | | | 7774 | | | | | | 32 |
| 10 | 7284 | | | | | 7707 | | | | | | 35 |
| 11 | 7276 | | | | | 7753 | | | | | | 39 |
| 12 | 7308 | | | | | 7814 | | | | | | 42 |
| 13 | | | | | | 8043 | | | | | | 46 |
| 14 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |

brakes measured inkl.10cm-loop

| Loops on Quick link | | Loop Index | MT |
|---------------------|----|------------|----|
| Factory setting | | | |
| A1 | -- | 0 | 0 |
| A2 | -- | 0 | 0 |
| A3 | -- | 0 | 0 |
| B1 | -- | 0 | 0 |
| B2 | -- | 0 | 0 |
| B3 | -- | 0 | 0 |
| C1 | -- | 0 | 0 |
| C2 | -- | 0 | 0 |
| C3 | -- | 0 | 0 |
| STI | -- | 0 | 0 |

Line Check Sheet for Paragliders

Piece Check

| | |
|---------------------------------|------------------|
| Glider Type: XD90 Guru SM (CCC) | Serial No.: |
| Rev. No.: 3 | Date: 23.05.2019 |

Line lengths [mm]

| No. | Area | | | | | | | | | | | | | | | | |
|-----|--------|--------|------|--------|--------|------|--------|--------|-------|--------|--------|------|--------|--------|------|--------|--------|
| | A | | | | | B | | | | | C | | | | | | |
| | Nom. | Left | | Right | | Nom. | Left | | Right | | Nom. | Left | | Right | | | |
| | -20 mm | -10 mm | 0 mm | +10 mm | +20 mm | | -20 mm | -10 mm | 0 mm | +10 mm | +20 mm | | -20 mm | -10 mm | 0 mm | +10 mm | +20 mm |
| 1 | 7448 | | | | | 7415 | | | | | | 7391 | | | | | |
| 2 | 7321 | | | | | 7286 | | | | | | 7287 | | | | | |
| 3 | 7278 | | | | | 7244 | | | | | | 7271 | | | | | |
| 4 | 7322 | | | | | 7291 | | | | | | 7234 | | | | | |
| 5 | 7211 | | | | | 7186 | | | | | | 7236 | | | | | |
| 6 | 7069 | | | | | 7046 | | | | | | 7295 | | | | | |
| 7 | 7002 | | | | | 6981 | | | | | | 7187 | | | | | |
| 8 | 7043 | | | | | 7030 | | | | | | 7053 | | | | | |
| 9 | 6812 | | | | | 6793 | | | | | | 7037 | | | | | |
| 10 | 6755 | | | | | | | | | | | 6973 | | | | | |
| 11 | 6661 | | | | | | | | | | | 6967 | | | | | |
| 12 | 6653 | | | | | | | | | | | 7022 | | | | | |
| 13 | 6592 | | | | | | | | | | | 6826 | | | | | |
| 14 | 6589 | | | | | | | | | | | 6789 | | | | | |
| 15 | 6466 | | | | | | | | | | | 6700 | | | | | |
| 16 | 6459 | | | | | | | | | | | 6693 | | | | | |
| 17 | 6456 | | | | | | | | | | | 6637 | | | | | |
| 18 | | | | | | | | | | | | 6634 | | | | | |
| 19 | | | | | | | | | | | | 6479 | | | | | |
| 20 | | | | | | | | | | | | 6468 | | | | | |
| 21 | | | | | | | | | | | | 6484 | | | | | |
| 22 | | | | | | | | | | | | | | | | | |

Total line length in cm from riser quick link to canopy including line loops, following DHV measuring method. Line load is 5 daN.

Rib numbering starts in the center of the wing. Wing sides in flight direction, seen from top.

Measurements are rounded to the next 0,5 cm. Please mark measurements relative to nominal by crossing X

| No. | Area | | | | | | | | | | | | | | | rib no. brakes | | |
|-----|--------|--------|------|--------|--------|-------|--------|--------|-------|--------|--------|--|--------|--------|------|----------------|--------|----|
| | D | | | | | Brake | | | | | | | | | | | | |
| | Nom. | Left | | Right | | Nom. | Left | | Right | | | | | | | | | |
| | -20 mm | -10 mm | 0 mm | +10 mm | +20 mm | | -20 mm | -10 mm | 0 mm | +10 mm | +20 mm | | -20 mm | -10 mm | 0 mm | +10 mm | +20 mm | |
| 1 | 7459 | | | | | 8106 | | | | | | | | | | | | 5 |
| 2 | 7360 | | | | | 7875 | | | | | | | | | | | | 8 |
| 3 | 7344 | | | | | 7745 | | | | | | | | | | | | 11 |
| 4 | 7311 | | | | | 7729 | | | | | | | | | | | | 14 |
| 5 | 7312 | | | | | 7733 | | | | | | | | | | | | 18 |
| 6 | 7364 | | | | | 7500 | | | | | | | | | | | | 21 |
| 7 | 7259 | | | | | 7428 | | | | | | | | | | | | 24 |
| 8 | 7129 | | | | | 7497 | | | | | | | | | | | | 28 |
| 9 | 7111 | | | | | 7298 | | | | | | | | | | | | 32 |
| 10 | 7045 | | | | | 7234 | | | | | | | | | | | | 35 |
| 11 | 7037 | | | | | 7278 | | | | | | | | | | | | 39 |
| 12 | 7069 | | | | | 7332 | | | | | | | | | | | | 42 |
| 13 | | | | | | 7549 | | | | | | | | | | | | 46 |
| 14 | | | | | | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | | | | | | |

brakes measured inkl. 10cm-loop

| Loops on Quick link | | Loop Index | MT |
|---------------------|----|------------|----|
| Factory setting | | | |
| A1 | -- | 0 | |
| A2 | -- | 0 | |
| A3 | -- | 0 | |
| B1 | -- | 0 | |
| B2 | -- | 0 | |
| B3 | -- | 0 | |
| C1 | -- | 0 | |
| C2 | -- | 0 | |
| C3 | -- | 0 | |
| STI | -- | 0 | |

Single Line Lengths

Glider Type: XD90 Guru SM (CCC)
Rev. No.: 3

Serial No.:
Date: 23.05.2019

| Line no. | Quantity | Length [mm] | material | colour |
|----------|----------|-------------|-----------|--------|
| a1 | 2 | 289 | DC 100 | Red |
| a2 | 2 | 271 | DC 100 | Red |
| a3 | 2 | 252 | DC 60 | Red |
| a4 | 2 | 251 | DC 60 | Red |
| a5 | 2 | 272 | DC 60 | Red |
| a6 | 2 | 254 | DC 60 | Red |
| a7 | 2 | 263 | DC 60 | Red |
| a8 | 2 | 245 | DC 60 | Red |
| a9 | 2 | 244 | DC 35 | Orange |
| a10 | 2 | 187 | DC 35 | Orange |
| a11 | 2 | 153 | DC 35 | Orange |
| a12 | 2 | 145 | DC 35 | Orange |
| a13 | 2 | 155 | DC 35 | Orange |
| a14 | 2 | 152 | DC 35 | Orange |
| a15 | 2 | 183 | DC 35 | Orange |
| a16 | 2 | 176 | DC 35 | Orange |
| a17 | 2 | 313 | DC 35 | Orange |
| A1 | 2 | 1235 | DC 161 | Red |
| A2 | 2 | 1126 | DC 161 | Red |
| A3 | 2 | 1102 | DC 100 | Red |
| A4 | 2 | 1147 | DC 100 | Red |
| A5 | 2 | 920 | DC 100 | Red |
| A6 | 2 | 796 | DC 100 | Red |
| A7 | 2 | 720 | DC 100 | Red |
| A8 | 2 | 779 | DC 100 | Red |
| A9 | 2 | 943 | DC 60 | Red |
| A10 | 2 | 883 | 8000U-090 | Red |
| AVI | 2 | 1551 | 8000U-070 | Red |
| AI | 2 | 1248 | DC 200 | Red |
| AII | 2 | 1248 | DC 201 | Red |
| AIII | 2 | 1148 | DC 201 | Red |
| AIV | 2 | 1148 | DC 161 | Red |
| AV | 2 | 749 | DC 161 | Red |
| Amain1 | 2 | 4691 | DC 300 | Red |
| Amain2 | 2 | 4891 | DC 200 | Red |
| Amain3 | 2 | 4891 | DC 161 | Red |
| b1 | 2 | 256 | DC 100 | Red |
| b2 | 2 | 236 | DC 100 | Red |
| b3 | 2 | 218 | DC 60 | Red |
| b4 | 2 | 220 | DC 60 | Red |
| b5 | 2 | 242 | DC 60 | Red |
| b6 | 2 | 226 | DC 60 | Red |
| b7 | 2 | 237 | DC 60 | Red |
| b8 | 2 | 227 | DC 60 | Red |
| b9 | 2 | 225 | DC 35 | Orange |

| Line no. | Quantity | Length [mm] | material | colour |
|----------|----------|-------------|-----------|--------|
| c1 | 2 | 754 | DC 60 | Red |
| c2 | 2 | 276 | DC 35 | Orange |
| c3 | 2 | 260 | DC 35 | Orange |
| c4 | 2 | 249 | DC 35 | Orange |
| c5 | 2 | 251 | DC 35 | Orange |
| c6 | 2 | 609 | DC 60 | Red |
| c7 | 2 | 518 | DC 60 | Red |
| c8 | 2 | 237 | DC 35 | Orange |
| c9 | 2 | 221 | DC 35 | Orange |
| c10 | 2 | 212 | DC 35 | Orange |
| c11 | 2 | 206 | DC 35 | Orange |
| c12 | 2 | 437 | DC 35 | Orange |
| c13 | 2 | 224 | DC 35 | Orange |
| c14 | 2 | 187 | DC 35 | Orange |
| c15 | 2 | 173 | DC 35 | Orange |
| c16 | 2 | 166 | DC 35 | Orange |
| c17 | 2 | 194 | DC 35 | Orange |
| c18 | 2 | 191 | DC 35 | Orange |
| c19 | 2 | 201 | DC 35 | Orange |
| c20 | 2 | 190 | DC 35 | Orange |
| c21 | 2 | 346 | DC 35 | Orange |
| | | 0 | | |
| C1 | 2 | 913 | 8000U-090 | Red |
| C2 | 2 | 385 | DC 60 | Red |
| C3 | 2 | 316 | DC 60 | Red |
| C4 | 2 | 962 | 8000U-090 | Red |
| C5 | 2 | 795 | 8000U-090 | Red |
| C6 | 2 | 184 | DC 60 | Red |
| C7 | 2 | 131 | DC 60 | Red |
| C8 | 2 | 706 | 8000U-070 | Red |
| C9 | 2 | 947 | 8000U-050 | Red |
| C10 | 2 | 872 | 8000U-050 | Red |
| CVI | 2 | 1537 | 8000U-050 | Red |
| | | 0 | | |
| C2-2 | 2 | 907 | 8000U-090 | Red |
| C3-2 | 2 | 950 | 8000U-090 | Red |
| C6-2 | 2 | 763 | 8000U-070 | Red |
| C7-2 | 2 | 761 | 8000U-070 | Red |
| CV | 2 | 749 | 8000U-070 | Red |
| | | 0 | | |
| CI | 2 | 1048 | 8000U-190 | Red |
| CII | 2 | 1048 | 8000U-130 | Red |
| CIII | 2 | 998 | 8000U-130 | Red |
| CIV | 2 | 998 | 8000U-090 | Red |
| Cmain3 | 2 | 4891 | 8000U-090 | Red |
| | | 0 | | |
| Cmain1 | 2 | 4691 | 8000U-230 | Red |
| Cmain2 | 2 | 4891 | 8000U-190 | Red |
| | | 0 | | |
| d1 | 2 | 822 | DC 60 | Red |
| d2 | 2 | 287 | DC 35 | Orange |
| d3 | 2 | 271 | DC 35 | Orange |
| d4 | 2 | 264 | DC 35 | Orange |
| d5 | 2 | 265 | DC 35 | Orange |
| d6 | 2 | 678 | DC 60 | Red |
| d7 | 2 | 590 | DC 60 | Red |
| d8 | 2 | 251 | DC 35 | Orange |
| d9 | 2 | 233 | DC 35 | Orange |
| d10 | 2 | 228 | DC 35 | Orange |
| d11 | 2 | 220 | DC 35 | Orange |
| d12 | 2 | 489 | DC 35 | Orange |
| | | 0 | | |
| D1 | 2 | 447 | DC 60 | Red |
| D2 | 2 | 378 | DC 60 | Red |
| D3 | 2 | 246 | DC 35 | Orange |
| D4 | 2 | 187 | DC 35 | Orange |

| Brake no. | Quantity | Length [mm] | material | colour |
|-----------|----------|-------------|-----------|-------------|
| br1 | 2 | 1019 | DC 35 | Orange |
| br2 | 2 | 788 | DC 35 | Orange |
| br3 | 2 | 657 | DC 35 | Orange |
| br4 | 2 | 641 | DC 35 | Orange |
| br5 | 2 | 754 | DC 35 | Orange |
| br6 | 2 | 521 | DC 35 | Orange |
| br7 | 2 | 397 | DC 35 | Orange |
| br8 | 2 | 466 | DC 35 | Orange |
| br9 | 2 | 429 | DC 35 | Orange |
| br10 | 2 | 365 | DC 35 | Orange |
| br11 | 2 | 342 | DC 35 | Orange |
| br12 | 2 | 396 | DC 35 | Orange |
| br13 | 2 | 613 | DC 35 | Orange |
| | | | | |
| BR1 | 2 | 1258 | 8000U-050 | Red |
| BR2 | 2 | 1259 | 8000U-050 | Red |
| BR3 | 2 | 1009 | 8000U-050 | Red |
| BR4 | 2 | 1061 | 8000U-050 | Red |
| BR5 | 2 | 845 | 8000U-050 | Red |
| BR6 | 2 | 912 | 8000U-050 | Red |
| | | | | |
| BR1 | 2 | 4491 | 8000U-090 | Red |
| BRIII | 2 | 2341 | 8000U-090 | Red |
| BRIV | 2 | 2395 | 8000U-070 | Red |
| | | | | |
| BRII | 2 | 2296 | 8000U-130 | Red |
| | | | | |
| brmain | 2 | 1198 | 7950-150 | ink (or Rec |
| | | | | |
| ST1 | 2 | 519 | 8000U-050 | Red |
| ST2 | 2 | 519 | 8000U-050 | Red |
| ST3 | 2 | 379 | 8000U-050 | Red |
| | | | | |
| STI | 2 | 5769 | 8000U-070 | Natural |

LINE MATERIAL

| | | |
|---------|-----------|------------|
| Liros | DC 100 | Red |
| Liros | DC 60 | Red |
| Liros | DC 35 | Orange |
| Liros | DC 161 | Red |
| Liros | DC 200 | Red |
| Liros | DC 201 | Red |
| Liros | DC 300 | Red |
| Edelrid | 8000U-090 | Red |
| Edelrid | 8000U-070 | Red |
| Edelrid | 8000U-070 | Natural |
| Edelrid | 8000U-050 | Red |
| Edelrid | 8000U-190 | Red |
| Edelrid | 8000U-130 | Red |
| Edelrid | 8000U-230 | Red |
| Edelrid | 7950-150 | Pink (or R |

| total length | no. of lines |
|--------------|--------------|
| 226296 | 266 |

Line Check Sheet for Paragliders

Piece Check

| | |
|--------------------------------|------------------|
| Glider Type: XD90 Guru S (CCC) | Serial No.: |
| Rev. No.: 3 | Date: 23.05.2019 |

Line lengths [mm]

| No. | Area | | | | | | | | | | | | | | | | |
|-----|--------|--------|------|--------|--------|------|--------|--------|-------|--------|--------|------|--------|--------|------|--------|--------|
| | A | | | | | B | | | | | C | | | | | | |
| | Nom. | Left | | Right | | Nom. | Left | | Right | | Nom. | Left | | Right | | | |
| | -20 mm | -10 mm | 0 mm | +10 mm | +20 mm | | -20 mm | -10 mm | 0 mm | +10 mm | +20 mm | | -20 mm | -10 mm | 0 mm | +10 mm | +20 mm |
| 1 | 7141 | | | | | 7109 | | | | | | 7085 | | | | | |
| 2 | 7016 | | | | | 6982 | | | | | | 6981 | | | | | |
| 3 | 6974 | | | | | 6941 | | | | | | 6966 | | | | | |
| 4 | 7016 | | | | | 6986 | | | | | | 6932 | | | | | |
| 5 | 6907 | | | | | 6884 | | | | | | 6933 | | | | | |
| 6 | 6769 | | | | | 6748 | | | | | | 6990 | | | | | |
| 7 | 6704 | | | | | 6684 | | | | | | 6884 | | | | | |
| 8 | 6746 | | | | | 6734 | | | | | | 6755 | | | | | |
| 9 | 6522 | | | | | 6503 | | | | | | 6739 | | | | | |
| 10 | 6466 | | | | | | | | | | | 6677 | | | | | |
| 11 | 6378 | | | | | | | | | | | 6672 | | | | | |
| 12 | 6371 | | | | | | | | | | | 6727 | | | | | |
| 13 | 6312 | | | | | | | | | | | 6538 | | | | | |
| 14 | 6310 | | | | | | | | | | | 6502 | | | | | |
| 15 | 6189 | | | | | | | | | | | 6417 | | | | | |
| 16 | 6185 | | | | | | | | | | | 6411 | | | | | |
| 17 | 6181 | | | | | | | | | | | 6356 | | | | | |
| 18 | | | | | | | | | | | | 6353 | | | | | |
| 19 | | | | | | | | | | | | 6202 | | | | | |
| 20 | | | | | | | | | | | | 6193 | | | | | |
| 21 | | | | | | | | | | | | 6209 | | | | | |
| 22 | | | | | | | | | | | | | | | | | |

Total line length in cm from riser quick link to canopy including line loops, following DHV measuring method. Line load is 5 daN.

Rib numbering starts in the center of the wing. Wing sides in flight direction, seen from top.

Measurements are rounded to the next 0,5 cm. Please mark measurements relative to nominal by crossing X

| No. | Area | | | | | | | | | | rib no. brakes | |
|-----|--------|--------|------|--------|--------|-------|--------|--------|-------|--------|----------------|----|
| | D | | | | | Brake | | | | | | |
| | Nom. | Left | | Right | | Nom. | Left | | Right | | | |
| | -20 mm | -10 mm | 0 mm | +10 mm | +20 mm | | -20 mm | -10 mm | 0 mm | +10 mm | +20 mm | |
| 1 | 7150 | | | | | 7798 | | | | | | 5 |
| 2 | 7052 | | | | | 7573 | | | | | | 8 |
| 3 | 7037 | | | | | 7446 | | | | | | 11 |
| 4 | 7006 | | | | | 7429 | | | | | | 14 |
| 5 | 7007 | | | | | 7434 | | | | | | 18 |
| 6 | 7056 | | | | | 7207 | | | | | | 21 |
| 7 | 6953 | | | | | 7140 | | | | | | 24 |
| 8 | 6828 | | | | | 7205 | | | | | | 28 |
| 9 | 6811 | | | | | 7012 | | | | | | 32 |
| 10 | 6747 | | | | | 6951 | | | | | | 35 |
| 11 | 6739 | | | | | 6994 | | | | | | 39 |
| 12 | 6772 | | | | | 7044 | | | | | | 42 |
| 13 | | | | | | 7253 | | | | | | 46 |
| 14 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |

brakes measured inkl. 10cm-loop

| Loops on Quick link | | Loop Index | MT |
|---------------------|----|------------|----|
| Factory setting | | | |
| A1 | -- | 0 | |
| A2 | -- | 0 | |
| A3 | -- | 0 | |
| B1 | -- | 0 | |
| B2 | -- | 0 | |
| B3 | -- | 0 | |
| C1 | -- | 0 | |
| C2 | -- | 0 | |
| C3 | -- | 0 | |
| STI | -- | 0 | |

